




8	9	10
ISSUE	MOD No.	INITIAL/DATE
1		INTRODUCTION DAH 24-03-2022




D1xL1-R008-D
Label 1




D1xL1-R016-D
Label 1




D1xL1-V070-D
Label 1



D1xL1-R008-D
Label 2



D1xL1-R016-D
Label 2



D1xL1-V070-D
Label 2



D1xL1 Warnings Label
(All Models)


Notes:

- For D1xL1R, replace 'F' with 'R' in part code
- Enclosure entries may differ depending on product options


RELATED DRAWING
No modification permitted
without reference to the
"Authorised Person"

DRAWING TO BS8888:2000 GEOMETRIC TOLERANCES TO ISO1101:1983 LINEAR DIMENSIONAL TOLS +/-0.35mm ANGULAR DIMENSIONAL TOLS +/-2 deg	DRAWN D.HOWGILL	DATE 24-03-22	SURFACE FINISH	WEIGHT (Kg)	THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE MATTER THEREIN IS COMMUNICATED IN CONFIDENCE AND IS THE COPYRIGHT PROPERTY OF EUROPEAN SAFETY SYSTEMS LTD. NEITHER THE WHOLE OR ANY EXTRACT MAY BE DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING OR TENDERING PURPOSES WITHOUT THEIR WRITTEN CONSENT. © EUROPEAN SAFETY SYSTEMS LTD. AS PER LATEST DATE OF ISSUE SHOWN ABOVE	 EUROPEAN SAFETY SYSTEMS LTD IMPRESS HOUSE MANSELL ROAD ACTON LONDON W3 7QH WWW.E2S.COM	ALL DIMENSIONS IN MM			A3
	CHECKED R.N.POTTS	DATE 24-03-22	MATERIAL SEE NOTE				TITLE D1xL1 & D1xL2 LOUDSPEAKER LABELS DUST VERSION			
	STANDARDS D1x	APPROVED R.N.POTTS	DATE 24-03-22	ALTERNATIVE MATERIAL			SCALE 1:1	SHEET 1 of 2	DRAWING NUMBER D190-09-251	


8	9	10
ISSUE	MOD No.	INITIAL/DATE
1		INTRODUCTION DAH 24-03-2022




D1xL2-R008-D
Label 1




D1xL2-R016-D
Label 1




D1xL2-V070-D
Label 1



D1xL2-R008-D
Label 2



D1xL2-R016-D
Label 2



D1xL2-V070-D
Label 2



D1xL2 Warnings Label
(All Models)


Notes:

- For D1xL2R, replace 'F' with 'R' in part code
- Enclosure entries may differ depending on product options


RELATED DRAWING
No modification permitted
without reference to the
"Authorised Person"

DRAWING TO BS8888:2000 GEOMETRIC TOLERANCES TO ISO1101:1983 LINEAR DIMENSIONAL TOLS +/-0.35mm ANGULAR DIMENSIONAL TOLS +/-2 deg	DRAWN D.HOWGILL	DATE 24-03-22	SURFACE FINISH	WEIGHT (Kg)	THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE MATTER THEREIN IS COMMUNICATED IN CONFIDENCE AND IS THE COPYRIGHT PROPERTY OF EUROPEAN SAFETY SYSTEMS LTD. NEITHER THE WHOLE OR ANY EXTRACT MAY BE DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING OR TENDERING PURPOSES WITHOUT THEIR WRITTEN CONSENT. © EUROPEAN SAFETY SYSTEMS LTD. AS PER LATEST DATE OF ISSUE SHOWN ABOVE	 EUROPEAN SAFETY SYSTEMS LTD IMPRESS HOUSE MANSELL ROAD ACTON LONDON W3 7QH WWW.E2S.COM	ALL DIMENSIONS IN MM IF IN DOUBT, ASK - DO NOT SCALE			A3
	CHECKED R.N.POTTS	DATE 24-03-22	MATERIAL SEE NOTE				TITLE D1xL1 & D1xL2 LOUDSPEAKER LABELS DUST VERSION			
	STANDARDS D1x	APPROVED R.N.POTTS	DATE 24-03-22	ALTERNATIVE MATERIAL			SCALE 1:1	SHEET 2 of 2	DRAWING NUMBER D190-09-251	


8	9	10
ISSUE	MOD No.	INITIAL/DATE
1		INTRODUCTION DAH 24-03-2022




D1xL1-R008-A
Label 1




D1xL1-R016-A
Label 1




D1xL1-V070-A
Label 1




D1xL1-V100-A
Label 1




D1xL1-R008-A
Label 2



D1xL1-R016-A
Label 2



D1xL1-V070-A
Label 2



D1xL1-V100-A
Label 2

Notes:

- For D1xL1R, replace 'F' with 'R' in part code
- Enclosure entries may differ depending on product options

CAUTION
TO REDUCE THE RISK OF IGNITION OF HAZARDOUS ATMOSPHERES:
DISCONNECT FROM SUPPLY BEFORE OPENING.
KEEP TIGHTLY CLOSED WHEN IN OPERATION.

WARNING
FIT SEALING FITTING IN CONDUIT RUNS
WITHIN 18 INCHES FROM ENCLOSURE.
NOT TO BE USED AS A VISUAL PUBLIC
MODE ALARM NOTIFICATION APPLIANCE.
DO NOT OPEN WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT
DO NOT OPEN WHEN ENERGISED
POTENTIAL ELECTROSTATIC CHARGING HAZARD - CLEAN ONLY
WITH A DAMP CLOTH

ATTENTION
POUR REDUIRE LE RISQUE D'INFLAMMATION
DES ATMOSPHERES DANGEREUSES:
COUPER L'ALIMENTATION AVANT OUVERTURE.
CONSERVER FERME PENDANT LE FONCTIONNEMENT.


AVERTISSEMENT
CONDUITS DOIVENT ETRE SCHELLES EN MIENS DE 18 POUCES.
NE DOIT PAS ETRE UTILISE EN TANTQUE APPAREIL
POUR LA NOTIFICATION D'ALARME PUBLIQUE VISUEL.
NE PAS OUVRIR UN PRESENCE D'ATMOSPHERE EXPLOSIVE
NE PAS OUVRIR ENERGISE
DANGER POTENTIEL CHARGE ELECTROSTATIQUE -
NETTOYER UNIQUEMENT AVEC UN CHIFFON HUMIDE

D1xL1 Warnings Label
(All Models)


RELATED DRAWING
No modification permitted
without reference to the
"Authorised Person"

DRAWING TO BS8888:2000 GEOMETRIC TOLERANCES TO ISO1101:1983 LINEAR DIMENSIONAL TOLS +/-0.35mm ANGULAR DIMENSIONAL TOLS +/-2 deg	DRAWN D.HOWGILL	DATE 24-03-22	SURFACE FINISH	WEIGHT (Kg)	THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE MATTER THEREIN IS COMMUNICATED IN CONFIDENCE AND IS THE COPYRIGHT PROPERTY OF EUROPEAN SAFETY SYSTEMS LTD. NEITHER THE WHOLE OR ANY EXTRACT MAY BE DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING OR TENDERING PURPOSES WITHOUT THEIR WRITTEN CONSENT.	 EUROPEAN SAFETY SYSTEMS LTD IMPRESS HOUSE MANSELL ROAD ACTON LONDON W3 7QH WWW.E2S.COM	ALL DIMENSIONS IN MM	 A3
	CHECKED R.N.POTTS	DATE 24-03-22	MATERIAL SEE NOTE	TITLE D1xL1 & D1xL2 LOUDSPEAKER LABELS				
	APPROVED R.N.POTTS	DATE 24-03-22	ALTERNATIVE MATERIAL	SCALE 1:1			SHEET 1 of 2	


8	9	10
ISSUE	MOD No.	INITIAL/DATE
1		INTRODUCTION DAH 24-03-2022




D1xL2-R008-A
Label 1




D1xL2-R016-A
Label 1




D1xL2-V070-A
Label 1




D1xL2-V100-A
Label 1




D1xL2-R008-A
Label 2



D1xL2-R016-A
Label 2



D1xL2-V070-A
Label 2



D1xL2-V100-A
Label 2

Notes:

- For D1xL2R, replace 'F' with 'R' in part code
- Enclosure entries may differ depending on product options

CAUTION
TO REDUCE THE RISK OF IGNITION OF HAZARDOUS ATMOSPHERES:
DISCONNECT FROM SUPPLY BEFORE OPENING.
KEEP TIGHTLY CLOSED WHEN IN OPERATION.

WARNING
FIT SEALING FITTING IN CONDUIT RUNS
WITHIN 18 INCHES FROM ENCLOSURE.
NOT TO BE USED AS A VISUAL PUBLIC
MODE ALARM NOTIFICATION APPLIANCE.
DO NOT OPEN WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT
DO NOT OPEN WHEN ENERGISED
POTENTIAL ELECTROSTATIC CHARGING HAZARD - CLEAN ONLY
WITH A DAMP CLOTH

ATTENTION
POUR REDUIRE LE RISQUE D'INFLAMMATION
DES ATMOSPHERES DANGEREUSES:
COUPER L'ALIMENTATION AVANT OUVERTURE.
CONSERVER FERME PENDANT LE FONCTIONNEMENT.

AVERTISSEMENT
CONDUITS DOIVENT ETRE SCELLES EN MIONS DE 18 POUCES.
NE DOIT PAS ETRE UTILISE EN TANTQUE APPAREIL
POUR LA NOTIFICATION D'ALARME PUBLIQUE VISUEL.
NE PAS OUVRIR UN PRESENCE D'ATMOSPHERE EXPLOSIVE
NE PAS OUVRIR QUAND ENERGISE
DANGER POTENTIEL CHARGE ELECTROSTATIQUE -
NETTOYER UNIQUEMENT AVEC UN CHIFFON HUMIDE

D1xL2 Warnings Label
(All Models)

RELATED DRAWING
No modification permitted
without reference to the
"Authorised Person"

DRAWING TO BS8888:2000 GEOMETRIC TOLERANCES TO ISO1101:1983 LINEAR DIMENSIONAL TOLS +/-0.35mm ANGULAR DIMENSIONAL TOLS +/-2 deg	DRAWN D.HOWGILL	DATE 24-03-22	SURFACE FINISH	WEIGHT (Kg)	THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE MATTER THEREIN IS COMMUNICATED IN CONFIDENCE AND IS THE COPYRIGHT PROPERTY OF EUROPEAN SAFETY SYSTEMS LTD. NEITHER THE WHOLE OR ANY EXTRACT MAY BE DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING OR TENDERING PURPOSES WITHOUT THEIR WRITTEN CONSENT.	 EUROPEAN SAFETY SYSTEMS LTD IMPRESS HOUSE MANSELL ROAD ACTON LONDON W3 7QH WWW.E2S.COM	ALL DIMENSIONS IN MM		 A3	
	CHECKED R.N.POTTS	DATE 24-03-22	MATERIAL SEE NOTE				IF IN DOUBT, ASK - DO NOT SCALE			TITLE D1xL1 & D1xL2 LOUDSPEAKER LABELS
	STANDARDS D1x	APPROVED R.N.POTTS	DATE 24-03-22	ALTERNATIVE MATERIAL			SCALE 1:1	SHEET 2 of 2	DRAWING NUMBER D190-09-201	