

1	2	3	4	5	6	7	8	9	10
							ISSUE	MOD No.	INITIAL/DATE
							1		INTRODUCTION DH 10-06-22

**D2xC2LD3DC024
24V DC**

50

D2xC2LD3DC024A Voltage: 18-33Vdc
Max Current: 778mA
For detailed current & light output ratings, see instructions D211-00-671-IS-SC
Cable entries: 2 off M20 x 1.5 & 1 off 3/4" NPT
Audible Appliance for use in Fire Alarm Systems
- Public Mode SPL at 10 feet: 92.2 dB(A)

ATEX / IECEx

II 3G Ex ec IIC T4 Gc Ta -40°C to +50°C
II 3D Ex tc IIIC T4 Gc Ta -40°C to +50°C
IP68 Type 4 / 4X / 3R / 13

CEC Class / Div
Class I Div 2 ABCD T4 Ta -40°C to +50°C
Class II Div 2 FG T8 Ta -40°C to +50°C
Class III Div 1&2 Ta -40°C to +50°C

Use Heat resistant cables and Glands (rated 95C)

CEC Class / Zone
Ex ec IIC Gc X T4 Ta -40°C to +50°C
Ex tc IIIC T4 Gc Ta -40°C to +50°C

CEC Class / Zone
Class I Zone 2 AEx ec IIC Gc T4 Gc Ta -40°C to +50°C
Zone 22 AEx tc IIIC T4 Gc Ta -40°C to +50°C

FIRE / FEU
Audible Signal Appliance
for use in Hazardous Locations
Candela 74.5cd 1Hz; Flash Pulse 20.0ms

DEMKO 14 ATEX 4786493904X
IECEX ULD 14.0004X
UL21UKEX2131X
Year / Serial No. 22/1DH92000016

Impress House, Mansell Rd, London UK W3 7QH

60

**WARNING LABEL
(ALL UNITS)**

50




WARNING:

DO NOT OPEN WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT
DO NOT OPEN WHEN ENERGISED
POTENTIAL ELECTROSTATIC CHARGING HAZARD -
CLEAN ONLY WITH A DAMP CLOTH
HIGH VOLTAGE SHOCK HAZARD. WAIT 5 MINUTES AFTER
REMOVING POWER BEFORE OPENING THE ENCLOSURE
DO NOT PAINT

AVERTISSEMENT:

NE PAS OUVRIR UN PRESENCE D'ATMOSPHERE EXPLOSIVE
NE PAS OUVRIR ENERGIE
DANGER POTENTIEL CHARGE ÉLECTROSTATIQUE -
NETTOYER UNIQUEMENT AVEC UN CHIFFON HUMIDE
HAUT TENSION, RISQUE DE CHOC. ATTENDEZ 5 MINUTES APRES
AVOIR DEBRANCHE L'ALIMENTATION AVANT D'OUVRIR LA BOITIER
NE PAS PEINTURER

60

DRAWING TO BS8888:2000 GEOMETRIC TOLERANCES TO ISO1101:1983 LINEAR DIMENSIONAL TOLS +/-0.35mm ANGULAR DIMENSIONAL TOLS +/-2 deg STANDARDS D2X	DRAWN D.HOWGILL	DATE 10-06-22	SURFACE FINISH	WEIGHT (Kg)	THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE MATTER THEREIN IS COMMUNICATED IN CONFIDENCE AND IS THE COPYRIGHT PROPERTY OF EUROPEAN SAFETY SYSTEMS LTD. NEITHER THE WHOLE OR ANY EXTRACT MAY BE DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING OR TENDERING PURPOSES WITHOUT THEIR WRITTEN CONSENT. © EUROPEAN SAFETY SYSTEMS LTD. AS PER LATEST DATE OF ISSUE SHOWN ABOVE	 EUROPEAN SAFETY SYSTEMS LTD IMPRESS HOUSE MANSELL ROAD ACTON LONDON W3 7QH WWW.E2S.COM	ALL DIMENSIONS IN MM IF IN DOUBT, ASK - DO NOT SCALE	 	A3
	CHECKED R.N.POTTS	DATE 10-06-22	MATERIAL SEE NOTE				TITLE D2XC2LD3 Product Label		
	APPROVED R.N.POTTS	DATE 10-06-22	ALTERNATIVE MATERIAL				SCALE NTS	SHEET 1 of 1	DRAWING NUMBER D211-09-671