DC CONFIGURATIONS


E2S PART NO D2x[C3][N1][XX][XX][XX][S1] D2x[C3][N2][XX][XX][XX][S1]

DESCRIPTION D2xC3 STACK - 3 BEACONS & ALARM HORN


DATA RE 1-35-020

11


Note: Alternative wiring configurations may be available on request - contact E2S sales



	12		13		14			
		ISSUE	MOD No.		REASON - INITIAL - DATE			
		1		INTRODUCTION DAH - 15-08-2019				
		2		B1 NOW W DAH - 01/0	IRED INTO TB 4/2020		А	
		3		CONFIG 1- DAH - 20/0	4 ADDED. SH2 ADDED 4/2023			
GNALS								
۶Þ	N SOUNDER						В	
AC	CON 2 BEACON	3	SOUNDE	R				
			S PCBA + + - - - - - - - - - - - - - - - - -	Z			С	
			- <u>52</u> - <u>53</u>				D	



AC CONFIGURATIONS



12		13	14	
	ISSUE	MOD No.	REASON - INITIAL - DATE	
	1		SEE SH1	A
	2		SEE SH1	
	3		SEE SH1	
				B
				С
				$\left \right $
				D
				Е
				E
				F
				\mid
				G
				Н
				$\left \right $
				I
		IENSIONS IN		
	DO NOT			
UROPEAN SAFETY SYSTEMS LTD IMPRESS HOUSE MANSELL ROAD	IIILE [HORN WI	ACK - 3 BEACONS & ALARM IRING SCHEMATIC	J
ACTON LONDON W3 7QH	SCALE NTS	SHEET 3 OF	3 DRAWING NUMBER	
WWW.E2S.COM	1413	J J OF	³ D215-06-145	

11