

ISSUE	MOD No.	INITIAL/DATE
1		Introduction DAH 23-07-2020
2	ACN0126	UKCA Added, Warnings Added DAH 31-05-2023
3		UL mark updated to reflect Marine attribute. MA 23-12-2024

(REF 60,0 ONLY)

D1XB2X10DC024

D1XB2X10AC115

WARNING:
DO NOT OPEN WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT
DO NOT OPEN WHEN ENERGISED
POTENTIAL ELECTROSTATIC CHARGING HAZARD -
CLEAN ONLY WITH A DAMP CLOTH
HIGH VOLTAGE SHOCK HAZARD. WAIT 5 MINUTES AFTER
REMOVING POWER BEFORE OPENING THE ENCLOSURE
DO NOT PAINT
TO REDUCE THE RISK OF IGNITION OF HAZARDOUS ATMOSPHERES, THE
FIRST CONDUIT RUN MUST HAVE A SEALING FITTING CONNECTED WITHIN
18 INCHES OF ENCLOSURE. SUBSEQUENT CONDUIT RUNS MUST HAVE A
SEALING FITTING CONNECTED AS CLOSE AS PRACTICAL TO THE WALL OF
THE ENCLOSURE, BUT IN NO CASE MORE THAN THE SIZE OF THE CONDUIT
OR 50MM, WHICHEVER IS LESSER.
TO PREVENT IGNITION OF GROUP A, B, C AND D ATMOSPHERES -
SEE INSTRUCTION FOR CHEMICAL COMPATIBILITY

AVERTISSEMENT:
NE PAS OUVRIER UN PRESENCE D'ATMOSPHERE EXPLOSIVE
NE PAS OUVRIER ENERGIE
DANGER POTENTIEL CHARGE ELECTROSTATIQUE - NETTOYER
UNIQUEMENT AVEC UN CHIFFON HUMIDE
HAUT TENSION, RISQUE DE CHOC. ATTENDEZ 5 MINUTES APRES
AVOIR DESBRANCHE L'ALIMENTATION AVANT D'OUVRIR LA BOITIER
NE PAS PEINTURER
POUR REDUIRE LE RISQUE D'INFLAMMATION DES ATMOSPHERES DANGEREUSES,
LE PREMIERE CONDUIT DE CONDUIT DOIVENT AVOIR UN RACCORDEMENT DE
RACCORDE A MOINS DE 18 POUCES DE L'ENTRÉE. POUR SUBSEQUENT LES
CONDUITES DE CONDUIT LA DISTANCE ENTRE LA SURFACE DE LA MASSE DE
REPLISSAGE AU PLUS PRES DE L'ENTRÉE DOIT ETRE AUSSI PETITE QUE
CUI EST REALISABLE MAIS EN AUCUN CAS SUPERIEURE A LA PLUS PETITE DES
DIMENSIONS CORRESPONDANT A LA TAILLE DU CONDUIT OU A 50 MM.
POUR PREVENIR L'IGNITION D'ATMOSPHERES DANGEREUSES, LES GROUPES A, B, C
ET D VOIR L'INSTRUCTION POUR LA COMPATIBILITE CHIMIQUE

WARNINGS LABEL - ALL UNITS

D1XB2X10DC048

D1XB2X10AC230

RELATED DRAWING
No modification permitted
without reference to the
"Authorised Person"

DRAWING TO BS8888:2000
GEOMETRIC TOLERANCES TO ISO1101:1983
LINEAR DIMENSIONAL TOLS +/-0.35mm
ANGULAR DIMENSIONAL TOLS +/-2 deg

STANDARDS
D1xB2

DRAWN	DATE
D.HOWGILL	23-07-2020
CHECKED	DATE
R.N.POTTS	23-07-2020
APPROVED	DATE
R.N.POTTS	23-07-2020

SURFACE FINISH	WEIGHT (Kg)
MATERIAL	ALTERNATIVE MATERIAL

THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE
MATTER THEREIN IS COMMUNICATED IN CONFIDENCE AND IS
THE COPYRIGHT PROPERTY OF EUROPEAN SAFETY SYSTEMS
LTD. NEITHER THE WHOLE OR ANY EXTRACT MAY BE
DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING
OR TENDERING PURPOSES WITHOUT THEIR WRITTEN
CONSENT.

© EUROPEAN SAFETY SYSTEMS LTD.
AS PER LATEST DATE OF ISSUE SHOWN ABOVE

EUROPEAN SAFETY SYSTEMS LTD
IMPRESS HOUSE
MANSELL ROAD
ACTON
LONDON W3 7QH
WWW.E2S.COM

ALL DIMENSIONS IN MM			A3
IF IN DOUBT, ASK - DO NOT SCALE			
TITLE D1xB2X10 BEACON PRODUCT LABEL			
SCALE	SHEET	DRAWING NUMBER	
1:1	1 of 1	D191-09-210	